

FIG. 1A

SYSTEMS AND METHODS FOR MAPPING API CALLS

Jerry A. Waldorf

Appl. No.: Unknown Atty Docket: SOFTECP.080A

2/15




FIG. 1B
(PRIOR ART)




FIG. 2A




FIG. 2B

5/15

300




FIG. 3

FIG. 4A
FIG. 4B

FIG. 4

400




FIG. 4A

7/15




FIG. 4B




FIG. 5A




FIG. 5B

10/15

FIG. 6A


FIG. 6B

FIG. 6A

FIG. 6

628

600






FIG. 6B


12/15

FIG. 7A
FIG. 7B

FIG. 7A

700

FIG. 7






FIG. 7B


FIG. 8A

FIG. 8B

FIG. 8A

800

FIG. 8



15/15

<div style="display: flex; justify-content: space-between;"> <div> PVS_RATE PVS_LAST_UPDATE ExecuteRetval setNull setNull wasNull clearParameters enableResultSetsOnly enableUpdateCountsOnly </div> <div> PVS_EMP_NO PVS_LAST_NAME PVS_FIRST_NAME PVS_RATE PVS_LAST_UPDATE ExecuteRetval setNull setNull </div> </div>	<div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 5px;"> block method var for if rule switch case while do return throw try </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> ! catch </div>	<div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <h3>Method Properties</h3> <p>Description: executeBusinessRules</p> <p>Name: executeBusinessRules</p> <p>Return Type: boolean Browse...</p> <p><input type="checkbox"/> Array</p> <p>Throws: exception</p> <p>Access Modifiers: <input checked="" type="radio"/> public <input type="radio"/> protected <input type="radio"/> private <input type="radio"/> (none)</p> <p>Parameters:</p> <p>Name: Browse...</p> <p>Type: Browse...</p> <p><input type="checkbox"/> Array</p> <p>Documentation:</p> </div>
<div style="display: flex; justify-content: space-between;"> <div> <h3>Business Rules</h3> <pre> Oracle_spDBEmpSelect : public class Oracle_spDBEmpSelect extends Oracle_spDBEmpSelectBase implements JCollection Oracle_spDBEmpSelect : public Oracle_spDBEmpSelect() executeBusinessRules : public boolean executeBusinessRules() throws Exception retBoolean : boolean retBoolean = true; trace - start collaboration : EGate.traceIn(EGate.TRACE_COLLABSERVICE,EGate.TRACE_EVENT_INFORMATION setting input parameter : getOracleSPDBEmp().getSP_S_DBEMP().setPVS_EMP_NO(STCTypeConverter.toDou executing the stored procedure : getOracleSPDBEmp().getSP_S_DBEMP().execute(); trace - setting the output fields : EGate.traceIn(EGate.TRACE_COLLABSERVICE,EGate.TRACE_EVENT_INFO setting EmployeeNumber : getDBEmpOutput().setEmployeeNumber(STCTypeConverter.toSring(getOracleSPD setting LastName : getDBEmpOutput().setLastName(getOracleSPDBEmp().getSP_S_DBEMP().getPVS_LAST_N setting FirstName : getDBEmpOutput().setFirstName(getOracleSPDBEmp().getSP_S_DBEMP().getPVS_FIRST_ setting Rate : getDBEmpOutput().setRate(STCTypeConverter.toSring(getOracleSPDBEmp().getSP_S_DBEMP(). setting LastUpdate : getDBEmpOutput().setLastUpdate(getOracleSPDBEmp().getSP_S_DBEMP().getPVS_RATE(sending output : getDBEmpOutput().send(); trace - end collaboration : EGate.traceIn(EGate.TRACE_COLLABSERVICE,EGate.TRACE_EVENT_INFORMATION, return : return retBoolean userInitialize : public void userInitialize() userTerminate : public void userTerminate() </pre> </div> <div> <h3>408</h3> </div> </div>		
<div style="display: flex; justify-content: space-between;"> <div> <h3>Method Properties</h3> <p>Description: executeBusinessRules</p> <p>Name: executeBusinessRules</p> <p>Return Type: boolean Browse...</p> <p><input type="checkbox"/> Array</p> <p>Throws: exception</p> <p>Access Modifiers: <input checked="" type="radio"/> public <input type="radio"/> protected <input type="radio"/> private <input type="radio"/> (none)</p> <p>Parameters:</p> <p>Name: Browse...</p> <p>Type: Browse...</p> <p><input type="checkbox"/> Array</p> <p>Documentation:</p> </div> <div> <h3>410</h3> </div> </div>		

FIG. 8B